

## **AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

### **LISTING OF CLAIMS:**

1. (currently amended): A method of optimizing the performance of a mobile radio system ~~in which different transfer modes correspond to different bit rates corresponding to different modulation schemes and the protocol architecture uses a radio link control layer that can operate in an acknowledged mode or in a non-acknowledged mode, in which method, in a transfer mode corresponding to the highest bit rates, acknowledgment information is sent in the non-acknowledged mode from a radio link control receiver to a radio link control sender and can be taken into account by the radio link control sender,~~  
~~wherein said transfer modes include the General Packet Radio Service (GPRS) mode and the Enhanced General Packet Radio Service (EGPRS) mode, and~~  
~~wherein said acknowledgment information includes a Starting Sequence Number (SSN) and a Received Block Bitmap (RBB) sent in an acknowledgment/non-acknowledgment (ACK/NACK) message, said method comprising:~~
  - ~~- a Radio Link Control RLC transmitter receiving acknowledgement/non-acknowledgement ACK/NACK messages transmitted by a RLC receiver, said messages comprising a Start Sequence Number SSN and a Received Block Bitmap RRB; and~~
  - ~~- in a transfer mode corresponding to Enhanced General Packet Radio Service EGPRS, said RLC transmitter taking into account SSN and RRB information transmitted in a non-acknowledged mode.~~

2-3. (canceled).

4. (currently amended): A method according to claim 1, wherein ~~said~~ acknowledgment information is taken into account by an RLC sender to estimate transmission quality.

5. (original): A method according to claim 4, wherein said transmission quality estimate is used for radio link adaptation.

6. (previously presented): A mobile station including means for implementing a method according to claim 1.

7. (previously presented): Mobile radio network equipment, including means for implementing a method according to claim 1.

8. (previously presented): A mobile radio system including means for implementing a method according to claim 1.

9. (previously presented): A method of claim 1, wherein the non-acknowledged mode is General Packet Radio Service (GPRS) mode or Temporary Block Flow (TBF) mode.

10. (currently amended): A mobile station comprising:

a radio link control (RLC) transmitter which receives acknowledgement/non-acknowledgement (ACK/NACK) messages transmitted by an RLC receiver, said messages comprising a start sequence number (SSN) and a received block bitmap (RRB); and ~~means for~~ said RLC transmitter, in a transfer mode corresponding to Enhanced General Packet Radio Service (EGPRS), taking into account SSN and RRB information transmitted in a non-acknowledged mode.

11. (currently amended): A mobile radiocommunication network equipment comprising:

a radio link control (RLC) transmitter which receives acknowledgement/non-acknowledgement (ACK/NACK) messages transmitted by an RLC receiver, said messages comprising a start sequence number (SSN) and a received block bitmap (RRB); and

~~means for~~ said RLC transmitter, in a transfer mode corresponding to Enhanced General Packet Radio Service (EGPRS), taking into account SSN and RRB information transmitted in a non-acknowledged mode.